

Ring Quantum Cascade Lasers: Versatile Light Emission and Applications in Spectroscopic Sensing

R. Szedlak^{*}, M. Holzbauer, A. Harrer, B. Schwarz, D. MacFarland, T. Zederbauer, H. Detz, A. M. Andrews, W. Schrenk and G. Strasser

Institute of Solid State Electronics & Center for Micro- and Nanostructures, TU Wien

Quantum cascade lasers (QCLs) are compact and versatile light sources emitting in the mid-infrared and terahertz spectral range. Therefore, QCLs are popular light sources for spectroscopy and chemical fingerprinting.

Ring QCLs [1] consist of a ring-shaped waveguide with a second order distributed feedback (DFB) grating on top. The latter selects the lasing mode and provides vertical light emission. Due to the relatively large emitting area, these lasers provide a strongly collimated emission beam.

We present several techniques for efficient light extraction from these ring QCLs including integrated phase shifts [2] and metamaterial-induced manipulation of the substrate-emitted light [3] as shown in Fig. 1 and 2, respectively.




Fig. 1: Scanning electron microscope (SEM) image of a ring QCL with a dual grating forming a continuous π -phase shift grating. [2]




Fig. 2: SEM image of a gradient-index metamaterial fabricated on the substrate side of a ring QCL for on-chip light collimation. [3]

In the last years, these lasers have proven to be mature and reliable light sources, suitable for spectroscopic applications. In combination with bifunctional quantum cascade heterostructures [4], ring QCLDs are utilized for compact on-chip gas sensor systems [5,6] as shown in Fig. 3.




Fig. 3: Sketch and SEM image (inset) of an on-chip ring QCLD gas sensing system. [6]

This sensor concept combines surface-emitting and -detecting elements on a single-chip and paves the way for compact hand-held quantum cascade gas sensors.

- [1] E. Mujagic et al., Appl. Phys. Lett. **93**, 011108 (2008).
- [2] R. Szedlak et al., Sci. Rep. **5**, 16668 (2015).
- [3] R. Szedlak et al., Appl. Phys. Lett. **104**, 151105 (2014).
- [4] B. Schwarz et al., Appl. Phys. Lett. **101**, 191109 (2012).
- [5] A. Harrer et al., Sci. Rep. **6**, 21795 (2016).
- [6] R. Szedlak et al., ACS Photonics **3**, 1794 (2016).

^{*}Contact: rolf.szedlak@tuwien.ac.at